Product #: See Section 1

Revision Date: October 15, 2015

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: NASI K-BLOK

SYNONYMS: Potassium salt of organic acids

PRODUCT CODES: TBD

MANUFACTURER: Nachurs Alpine Solutions

DIVISION: Marion

ADDRESS: 421 Leader Street

Marion, OH 43302

PHONE: 800-622-4877 (USA)

800-265-2268 (CANADA)

EMERGENCY PHONE: Unites States: Chemtrec: 800-424-9300 (CCN# 15189)

Canada: CANUTEC: 1-613-996- 6666

I TECH 877-324-4402

CHEMICAL NAME: Potassium salt of organic acids

CHEMICAL FAMILY: Inorganic salt

CHEMICAL FORMULA: Potassium salt of organic acids

PRODUCT USE: Catalyst, Deicer, Fire Extinguishing Agent, Shale Inhibitor

SECTION 2: HAZARDS IDENTIFICATION

GHS ELEMENTS:

Hazard Classification: Eye Irritation (Category 2B).

Pictogram: None.

Signal Word: Warning

Hazard Statements: Causes eye irritation.

Precautionary Statements: Wash skin throughly after handling. Wear protective gloves, clothing, eye and face protection.

If swallowed, rinse mouth. Do NOT induce vomiting.

If on hair or skin, remove all contaminated clothing and rinse skin with water.

If inhaled, remove victim to fresh air and keep at rest in a position comfortable for breathing.

If in eyes, rinse carefully with water for several minutes. Remove contactlenses, if able and continue rinsing.

Immediately call a poison center or doctor/physician. See First Aid instruction for specific treatment.

Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

ROUTES OF ENTRY: Ingestion, Injection, Inhalation, Absorption

POTENTIAL HEALTH EFFECTS:

EYES: May cause eye irritation. SKIN: May cause mild irritation.

INGESTION: May cause mild digestive tract irritation and diarrhea.

INHALATION: May cause mild irritation.

ACUTE HEALTH HAZARDS: May cause irritation to the eyes and skin.

CHRONIC HEALTH HAZARDS: None Reported

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: None Reported

Name of Product: NASI K-BLOK

Product #: See Section 1

Revision Date: October 15, 2015

CARCINOGENICITY:

OSHA: None Reported ACGIH: None Reported NTP: None Reported IARC: None Reported

OTHER: N/A

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT: Potassium salt of organic acids

% WT: 50%

SARA 313 REPORTABLE: N/A

OSHA PEL-TWA: N/A
OSHA PEL STEL: N/A
OSHA PEL CEILING: N/A

ACGIH TLV-TWA: N/A
ACGIH TLV STEL: N/A
ACGIH TLV CEILING: N/A

SECTION 3 NOTES: Balance ingredient is non-hazardous Water CAS NO.: 7732-18-5

SECTION 4: FIRST AID MEASURES

EYES: Wash eyes thoroughly with water for at least 15 minutes. Seek medical attention.

SKIN: Thoroughly wash with soap and water. Seek medical attention if irritation develops or persists.

INGESTION: If victim is conscious and alert, give milk or water. Do not induce vomiting. If spontaneous vomiting should

occur, keep head below hips to prevent aspiration of liquid into lungs. Seek medical attention.

INHALATION: Remove from exposure to area of fresh air. If not breathing, give artificial respiration. Get medical attention

immediately.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABLE LIMITS IN AIR: UPPER: N/A (% BY VOLUME) LOWER: N/A

(% DT VOLUIVIE) LOWER. IN/F

FLASH POINT: N/A

METHOD USED: N/A

AUTOIGNITION TEMPERATURE: N/A

NFPA HAZARD CLASSIFICATION:

HEALTH: 1
FLAMMABILITY: 0
REACTIVITY: 0
OTHER: None

HMIS HAZARD CLASSIFICATION

HEALTH: 1
FLAMMABILITY: 0
REACTIVITY: 0
PROTECTION: D

Name of Product: NASI K-BLOK

Product #: See Section 1

Revision Date: October 15, 2015

EXTINGUISHING MEDIA: Use suitable media for surrounding fire

SPECIAL FIRE FIGHTING PROCEDURES: N/A

UNUSUAL FIRE AND EXPLOSION HAZARDS: Carbon monoxide and/or carbon dioxide may be released.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide and/or carbon dioxide. Large quantities of carbon monoxide/dioxide in enclosed

areas can result in lack of oxygen and possible suffocation.

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: Wear appropriate personal protective equipment as stated in Section 8. Confine the spill to a diked area or

sump, if possible, and recover as much of the liquid potassium acetate as possible. Place in suitable

containers for reuse or disposal. Clean up area with excess water to remove residue.

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Keep in a dry, cool, well-ventilated place. Ground all equipment containing the material. Keep container tightly

closed. Store in suitable containers made of plastic, mild steel, fiberglass, or stainless steel. Always use good

safety and industrial hygienic practices. Wear suitable personal protective equipment.

OTHER PRECAUTIONS: Keep away from sources of ignition. Wash hands thoroughly after handling.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Use process enclosures, local exhaust ventilation or other engineering controls to keep airborne levels below

exposure limits. If operation generates fumes or mist, use ventilation.

VENTILATION: Provide adequate ventilation for local areas.

RESPIRATORY PROTECTION: Respiratory protection not normally required unless excessive heat or reaction occurs resulting in release of

carbon dioxide or carbon monoxide. In enclosed spaces, these gases can displace oxygen causing possible

suffocation, thus use self contained breathing apparatus. Do not use air purifying respirators.

EYE PROTECTION: Safety goggles and face shield.

SKIN PROTECTION: Gloves that are rubber or plastic

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: For spills, wear splash goggles, full suit, boots, and gloves. A self-contained breathing apparatus

should be used to avoid inhalation of product.

WORK HYGIENIC PRACTICES: Wash hands thoroughly after handling.

EXPOSURE GUIDELINES: No occupational exposure limits have been established at this time.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear, nearly colorless liquid.

ODOR: N/A

ODOR THRESHOLD: No data available.

PHYSICALSTATE: Liquid

pH AS SUPPLIED: 9-11

MELTING POINT: N/A

FREEZING POINT: -70°F

-57°C

Name of Product: NASI K-BLOK

Product #: See Section 1

Revision Date: October 15, 2015

BOILING POINT:

F°: >200°F

C°: >93.3°C

FLAMMABILITY: Not flammable.

FLASH POINT:

F°: N/A

C°: N/A

METHOD USED: N/A

EVAPORATION RATE: Unknown

UPPER: N/A FLAMMABLE LIMITS IN AIR:

> (% BY VOLUME) LOWER: N/A

VAPOR PRESSURE (mmHg): Unknown

VAPOR DENSITY (AIR = 1) Unknown

SPECIFIC GRAVITY (H₂O = 1) 1.275

DENSITY, LBS/GAL: 10.65

SOLUBILITY IN WATER: Complete

PARTITION COEFFICIENT: n-octanol/water - N/A

PERCENT SOLIDS BY WEIGHT: 50%

PERCENT VOLATILE: Variable depending on concentration.

VOLATILE ORGANIC COMPOUNDS (VOC): 0%

AUTOIGNITION TEMPERATURE: N/A

<u>-10°C</u> 29.3 <u>-20°C</u> 145 VISCOSITY (cP):

SECTION 10: STABILITY AND REACTIVITY

STABLE UNSTABLE

STABILITY:

CONDITIONS TO AVOID (STABILITY): Excessive heat or exposure to atmospheric moisture or water.

INCOMPATIBILITY (MATERIAL TO AVOID): Strong oxidizing agents.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Carbon monoxide and/or carbon dioxide.

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID (POLYMERIZATION): N/A

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: May cause mild digestive tract irritation and diarrhea upon ingestion. Causes eye irritant and may cause mild

irritation upon skin contact or inhalation.

Product #: See Section 1

Name of Product: NASI K-BLOK **Revision Date:** October 15, 2015

ACUTE TOXICITY: LD₅₀ (Oral, Rat): 3250 mg/kg (100% basis)

CHRONIC TOXICITY: No data available.

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: Avoid contact with drinking water.

BIODEGRADABILITY: May degrade over long periods of time. The products of degradation are more toxic.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Reclaim and reuse as much as possible. Large spills should be diked to contain the material and prevent

contact with waterways and sewer systems. Do not dump into any sewers, on the ground, or into any body of water. Material should be absorbed with absorbent materials (such as kitty litter/sand) and disposed of in

accordance with Provincial and Federal regulations.

RCRA HAZARD CLASS:

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION:

NASI K-BLOK PROPER SHIPPING NAME:

HAZARD CLASS: N/A ID NUMBER: N/A PACKING GROUP: N/A

LABEL STATEMENT:

Health: 1 Flammability: 0 Reactivity: 0 Specific: None

WATER TRANSPORTATION:

PROPER SHIPPING NAME: NASI K-BLOK

> HAZARD CLASS: N/A ID NUMBER: N/A PACKING GROUP: N/A

LABEL STATEMENTS:

Health: 1 Flammability: 0 Reactivity: 0 Specific: None

AIR TRANSPORTATION

PROPER SHIPPING NAME: NASI K-BLOK

> HAZARD CLASS: N/A ID NUMBER: N/A PACKING GROUP: N/A

LABEL STATEMENTS:

Health: Flammability: Reactivity: 0 Specific: None

OTHER AGENCIES:

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS:

TSCA (TOXIC SUBSTANCE CONTROL ACT): Yes

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): Nο

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT): N/A

311/312 HAZARD CATEGORIES: N/A

313 REPORTABLE INGREDIENTS: Potassium Acetate

STATE REGULATIONS: N/A

Name of Product: NASI K-BLOK

Product #: See Section 1

Revision Date: October 15, 2015

INTERNATIONAL REGULATIONS:

N/A

SECTION 16: OTHER INFORMATION

PREPARATION INFORMATION: Technical Services

DISCLAIMER:

The information contained herein is offered only as a guide to the handling of this specific material and has been prepared in good faith by technically knowledgeable personnel. It is not intended to be all-inclusive and the manner and conditions of use and handling may involve other and additional considerations. No warranty of any kind is given or implied and Nachurs Alpine Solutions will not be liable for any damages, losses, injuries or consequential damages which may result from the use or reliance on any information contained herein.

"NASi" is a trademark of Nachurs Alpine Solutions.